


# Lift&Drive 70E / 90E

For a better work environment





## Capability when you need it

Lift&Drive 70E and Lift&Drive 90E are the most compact but still capable lifting trolleys. They are easy to use and stow away, making them ideal for work environments like canteens and kitchens, offices, libraries, or shops.

The trolleys are smooth and stable to use, with a lifting capacity of 70 kg for Lift&Drive 70E and 90 kg for Lift&Drive 90E. The handlebars are easily adjusted to suit any operator, and safety features such as overload

protection and safety clutch make the trolley safe to use also by inexperienced operators.

Low roll resistance combined with optimal weight to capacity ratio enables ergonomic and safe lifting without risk of strain. The durable, high-quality build requires only minimal maintenance.



### Travel lightly

Don't move around more weight than needed. With optimised weight to capacity ratio, total weight is kept at a minimum.



### Get the solution to your need

Your optimal solution is determined by the task, the load, the operator, and the work environment. With a wide range of options, and tools, Pronomic can customise a solution that fits your needs and solves your problems.



### Easy roll with heavy loads

A lifting trolley with low roll resistance makes it easier to move heavy loads, further reducing the strain on your body.



### Low build

Options to equip with low wheels for fitting under pallets when unloading goods..

- Reliable high-quality design with minimum maintenance needs
- Compact design to fit any space
- Small footprint when parked
- Easy and safe to use also for inexperienced operators
- Adjustable to suit different operators



### When reliability and precision is key

Our unique, spindle-based lifting system enables speedy and precise lifting and lowering of your load. While saving time, it also adds safety and reliability, with minimal maintenance requirements.

### Ergonomic handgrip for all

Be sure to reduce the strain on muscles and joints during operation by adjusting the handlebars to the optimal working height.



### Cleanability for hygienic work

Easy-to-clean stainless-steel design option, combined with a specially designed mast curtain, contributes to easy cleaning as well as low particle emissions during operation.



### Manoeuvrability in tight spaces

Swivel wheels give a very narrow turn radius, making the trolley easy to steer.

Basic data	70E	90E
Height* (mm)	Min 1443 Max 2193	
Length (mm)	734	
Width (mm)	435	
Net weight (kg)	31	
Maximum load including tool (kg)	70	90
Max lifting speed empty/full (mm/s)		83
Motor brake	No	Yes
Safety		CE
Battery	Sealed, valve regulated, lead-acid batteries (VRLA)	
Nominal battery voltage	24V DC (12V x 2)	
Battery capacity	7.2 Ah	
Stainless steel option		Yes



**PRONOMIC AB**

Box 5504  
192 05 Sollentuna  
Sweden  
+46 (0) 8 544 706 60  
[sales@pronomic.com](mailto:sales@pronomic.com)  
[pronomic.com](http://pronomic.com)



Vriesenrot 22  
B-9200 Dendermonde  
+32 52 40 95 70  
[info@tiltech.be](mailto:info@tiltech.be)  
[www.tiltech.be](http://www.tiltech.be)

**Smart moves  
for safe work**